

Main (7.1) Output – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left	1	Gnd	25	
		Cold	12	
		Hot	24	
Right	2	Gnd	11	
		Cold	23	
		Hot	10	
Center	3	Gnd	22	
		Cold	9	
		Hot	21	
LFE	4	Gnd	8	
		Cold	20	
		Hot	7	
L.Side	5	Gnd	19	
		Cold	6	
		Hot	18	
R.Side	6	Gnd	5	
		Cold	17	
		Hot	4	
L.Back	7	Gnd	16	
		Cold	3	
		Hot	15	
R.back	8	Gnd	2	
		Cold	14	
		Hot	1	

Alt(5.1) & Mini (2.0) Output – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
		Chassis	13	
5.1 Left	1	Gnd	25	
		Cold	12	
		Hot	24	
5.1 Right	2	Gnd	11	
		Cold	23	
		Hot	10	
5.1 Center	3	Gnd	22	
		Cold	9	
		Hot	21	
5.1 LFE	4	Gnd	8	
		Cold	20	
		Hot	7	
5.1 L.Side	5	Gnd	19	
		Cold	6	
		Hot	18	
5.1 R.Side	6	Gnd	5	
		Cold	17	
		Hot	4	
Mini Left	7	Gnd	16	
		Cold	3	
		Hot	15	
Mini Right	8	Gnd	2	
		Cold	14	
		Hot	1	

Main (7.1) Input – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
		Gnd	25	
Left	1	Cold	12	
		Hot	24	
		Gnd	11	
Right	2	Cold	23	
		Hot	10	
		Gnd	22	
Center	3	Cold	9	
		Hot	21	
		Gnd	8	
LFE	4	Cold	20	
		Hot	7	
		Gnd	19	
L.Side	5	Cold	6	
		Hot	18	
		Gnd	5	
R.Side	6	Cold	17	
		Hot	4	
		Gnd	16	
L.Back	7	Cold	3	
		Hot	15	
		Gnd	2	
R.back	8	Cold	14	
		Hot	1	

Alt(5.1) & Cue 3 Input – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
		Gnd	25	
5.1 Left	1	Cold	12	
		Hot	24	
		Gnd	11	
5.1 Right	2	Cold	23	
		Hot	10	
		Gnd	22	
5.1 Center	3	Cold	9	
		Hot	21	
		Gnd	8	
5.1 LFE	4	Cold	20	
		Hot	7	
		Gnd	19	
5.1 L.Side	5	Cold	6	
		Hot	18	
		Gnd	5	
5.1 R.Side	6	Cold	17	
		Hot	4	
		Gnd	16	
Cue 3 Left	7	Cold	3	
		Hot	15	
		Gnd	2	
Cue 3 Right	8	Cold	14	
		Hot	1	

Stereo Inputs – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Stereo 1 Left	1	Gnd	25	
		Cold	12	
		Hot	24	
Stereo 1 Right	2	Gnd	11	
		Cold	23	
		Hot	10	
Stereo 2 Left	3	Gnd	22	
		Cold	9	
		Hot	21	
Stereo 2 Right	4	Gnd	8	
		Cold	20	
		Hot	7	
Stereo 3 Left	5	Gnd	19	
		Cold	6	
		Hot	18	
Stereo 3 Right	6	Gnd	5	
		Cold	17	
		Hot	4	
Stereo 4 Left	7	Gnd	16	
		Cold	3	
		Hot	15	
Stereo 4 Right	8	Gnd	2	
		Cold	14	
		Hot	1	

T/B, L/B, Cue 1 & 2 Input – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Internal T/B	1	Gnd	25	
		Cold	12	
		Hot	24	
External T/B	2	Gnd	11	
		Cold	23	
		Hot	10	
Listen 1	3	Gnd	22	
		Cold	9	
		Hot	21	
Listen 2	4	Gnd	8	
		Cold	20	
		Hot	7	
Cue 1 Left	5	Gnd	19	
		Cold	6	
		Hot	18	
Cue 1 Right	6	Gnd	5	
		Cold	17	
		Hot	4	
Cue 2 Left	7	Gnd	16	
		Cold	3	
		Hot	15	
Cue 2 Right	8	Gnd	2	
		Cold	14	
		Hot	1	

Xpand Inputs – 7.1.4 – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
		Gnd	25	
Left Top Front	1	Cold	12	
		Hot	24	
		Gnd	11	
Right Top Front	2	Cold	23	
		Hot	10	
		Gnd	22	
Left Top Back	3	Cold	9	
		Hot	21	
		Gnd	8	
Right Top Back	4	Cold	20	
		Hot	7	
		Gnd	19	
Left Side	5	Cold	6	
		Hot	18	
		Gnd	5	
Right Side	6	Cold	17	
		Hot	4	
		Gnd	16	
Left Back	7	Cold	3	
		Hot	15	
		Gnd	2	
Right Back	8	Cold	14	
		Hot	1	

Xpand Outputs – 7.1.4 – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
		Gnd	25	
Left Top Front	1	Cold	12	
		Hot	24	
		Gnd	11	
Right Top Front	2	Cold	23	
		Hot	10	
		Gnd	22	
Left Top Back	3	Cold	9	
		Hot	21	
		Gnd	8	
Right Top Back	4	Cold	20	
		Hot	7	
		Gnd	19	
Left Surround Bass Extension	5	Cold	6	
		Hot	18	
		Gnd	5	
Right Surround Bass Extension	6	Cold	17	
		Hot	4	
		Gnd	16	
Left Back	7	Cold	3	
		Hot	15	
		Gnd	2	
Right Back	8	Cold	14	
		Hot	1	

Xpand Inputs – 9.1.2 – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left Top Front	1	Gnd	25	
		Cold	12	
		Hot	24	
Right Top Front	2	Gnd	11	
		Cold	23	
		Hot	10	
Left Front Side	3	Gnd	22	
		Cold	9	
		Hot	21	
Right Front Side	4	Gnd	8	
		Cold	20	
		Hot	7	
Left Side	5	Gnd	19	
		Cold	6	
		Hot	18	
Right Side	6	Gnd	5	
		Cold	17	
		Hot	4	
Left Back	7	Gnd	16	
		Cold	3	
		Hot	15	
Right Back	8	Gnd	2	
		Cold	14	
		Hot	1	

Xpand Outputs – 9.1.2 – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left Top Front	1	Gnd	25	
		Cold	12	
		Hot	24	
Right Top Front	2	Gnd	11	
		Cold	23	
		Hot	10	
Left Front Side	3	Gnd	22	
		Cold	9	
		Hot	21	
Right Front Side	4	Gnd	8	
		Cold	20	
		Hot	7	
Left Surround Bass Extension	5	Gnd	19	
		Cold	6	
		Hot	18	
Right Surround Bass Extension	6	Gnd	5	
		Cold	17	
		Hot	4	
Left Back	7	Gnd	16	
		Cold	3	
		Hot	15	
Right Back	8	Gnd	2	
		Cold	14	
		Hot	1	

XMon Main Inputs – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left	1	Gnd	25	
		Cold	12	
		Hot	24	
Left Back	2	Gnd	11	
		Cold	23	
		Hot	10	
Centre	3	Gnd	22	
		Cold	9	
		Hot	21	
Right Back	4	Gnd	8	
		Cold	20	
		Hot	7	
Right	5	Gnd	19	
		Cold	6	
		Hot	18	
Left Side	6	Gnd	5	
		Cold	17	
		Hot	4	
Right Side	7	Gnd	16	
		Cold	3	
		Hot	15	
LFE	8	Gnd	2	
		Cold	14	
		Hot	1	

XMon Main Outputs – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left	1	Gnd	25	
		Cold	12	
		Hot	24	
Left Back	2	Gnd	11	
		Cold	23	
		Hot	10	
Centre	3	Gnd	22	
		Cold	9	
		Hot	21	
Right Back	4	Gnd	8	
		Cold	20	
		Hot	7	
Right	5	Gnd	19	
		Cold	6	
		Hot	18	
Left Side	6	Gnd	5	
		Cold	17	
		Hot	4	
Right Side	7	Gnd	16	
		Cold	3	
		Hot	15	
LFE	8	Gnd	2	
		Cold	14	
		Hot	1	

Xpand Outputs – 7.1.4 – DB25 Male on Cable				
Function	Channel	Function	Pin	Connector Rear
		Chassis	13	
Left Top Front	1	Gnd	25	
		Cold	12	
		Hot	24	
Right Top Front	2	Gnd	11	
		Cold	23	
		Hot	10	
Left Top Back	3	Gnd	22	
		Cold	9	
		Hot	21	
Right Top Back	4	Gnd	8	
		Cold	20	
		Hot	7	
Left Side	5	Gnd	19	
		Cold	6	
		Hot	18	
Right Side	6	Gnd	5	
		Cold	17	
		Hot	4	
Left Back	7	Gnd	16	
		Cold	3	
		Hot	15	
Right Back	8	Gnd	2	
		Cold	14	
		Hot	1	

TMC-1 GPIO - DB15 Female on Cable			
Default	Function	Pin	Connector Rear
	LTC In+	8	
	LTC In-	15	
	Ground	7	
H/W mute	GP-Out 0	14	
T/B 1 On	GP-Out 1	6	
T/B 2 On	GP-Out 2	13	
User	GP-Out 3	5	
Int T/B 1	GP-I/P 7	12	
Record	GP-I/O	4	
Play	GP-I/O	11	
Ext T/B 2	GP-I/P 4	3	
Ext T/B 1	GP-I/P 3	10	
Listen 2	GP-I/P 2	2	
Listen 1	GP-I/P 1	9	
AFL/PFL I/P	GP-I/P 0	1	